

5C. -
OCT. 8. 2004 12:03PM

JCWSCS 08 OCT 2004
866 751 0075

NO. 1123 P. 1

Nixon Peabody LLP
Attorneys at Law

Suite 900
401 9th Street, N.W.
Washington, D.C. 20004-2128
(202) 585-8000

Fax: (202) 585-8080

PRIVILEGE AND CONFIDENTIALITY NOTICE

The information in this fax is intended for the named recipients only. It contains privileged and confidential matter. If you have received this fax in error, please notify us immediately by a collect telephone call to (202) 585-8000 and return the original to the sender by mail. We will reimburse you for postage. Do not disclose the contents to anyone. Thank you.

FAX

Date: October 12, 2004 **Pages (including cover):** 5
To: Attn: Office of Initial Patent Examination's Filing Receipt Corrections **Fax:** 703-746-9195 **Ph:**
From: Raymond Van Dyke
Message: In the United States Patent and Trademark Office, this will acknowledge receipt of Request for a Corrected Official Filing Receipt.

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office: Fax No. (703) 746-9195 on October 12, 2004.

Brigittee D. Jennings
Brigittee D. Jennings

Date: October 12, 2004 **Pages (including cover):** 5
To: Attn: Office of Initial Patent Examination's Filing Receipt Corrections **Fax:** 703-746-9195 **Ph:**
From: Raymond Van Dyke

Docket No. 31879-002000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Albert E. KOENIG, *et al.*

Application No. 10/825,659

Filed: April 16, 2004

For: GEOTHERMAL SYSTEMS WITH
IMPROVED CONTROL STRATEGIES

) ATTENTION:

) OFFICE OF INITIAL PATENT


) EXAMINATION'S FILING

) RECEIPT CORRECTIONS

) Group Art Unit: 3748

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office:
Fax No. (703) 746-9195 on October 8, 2004.


Brigitte D. Jennings

REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


Enclosed is a copy of the Official Filing Receipt marked to show a correction that is needed.
The correction is as follows.

Below the second inventor's name and address please add: --Assignment: for Published
Patent Application: GEOTHERMAL DESIGN GROUP, INC., Lafayette Hill, PA;--.

Attached hereto is a copy of the Application Data Sheet.

Issuance of a corrected Official Filing Receipt is respectfully requested.

Respectfully submitted,

By: 
Raymond Van Dyke
Registration No. 34,746

NIXON PEABODY LLP
401 9TH Street, N.W., Suite 900
Washington D.C. 20004-2128
Telephone: 202-585-8250

Date: October 8, 2004

W324772.1